



Franklin Electric

GRID SOLUTIONS

We are proud to partner with Franklin Electric Grid Solutions and supply mission-critical industries with intelligent grid monitoring devices. Franklin Electric Solutions provide the expertise to increase network uptime, minimize risks and costs associated with downtime, enable compliance, and facilitate cost-saving proactive maintenance.

[Request a Quote](#)

Product Number	Description
Celltron Advantage Tester and Accessories	
CAD-5500 KIT	Celltron Advantage "Gold" Complete Kit
CAD-5200 KIT	Celltron Advantage "Silver" Enhanced Kit
CAD-5000 KIT	Celltron Advantage "Bronze" Base Kit
CA024	8 Foot Long Duraclamps for 6 and 12 Volt Batteries Only
CA025	8 Foot Long Duraprobes for 6 and 12 Volt Batteries Only
CA026	Interchangeable Cable
CA031	Waffle Probe Tips
CA034	Probe Extenders
CA049	USB Cable
CA052	Mueller Clamp Cable
CA059	CAD Probe Contacts Kit
CA068	CAD SK Cable
CA069	Probe Replacement Kit
CA087	IR Printer
CA089	8GB USB Flash Drive
CA090	Battery Pack
CA091	In-Unit Battery Charger
CA092	Clamp Set Replacement
CA092B	Black Clamp Replacement
CA092R	Red Clamp Replacement
CA093	Probe Set Replacement
CA093B	Probe Black Replacement
CA093R	Probe Red Replacement
CA096	Desktop Rapid Battery Charger
CA098	CAD Mini-probe

Product Number	Description
Celltron Advantage Tester and Accessories (Continued)	
CA099	Universal Charger 100-240Vac
CA100	Celltron Ballistic Nylon Backpack
CT-Express	Celltraq Express Software
CBMS-101	Library Builder / Site Builder Software Package

Celltron Ultra Tester and Accessories	
CTU-6000 LPRB	Ultra Long Probe Kit
CTU-6000 LCLP	Ultra Long Clamp Kit
CTU-6000 KIT	ULTRA Standard Kit
CTU-6000 TESTER	Ultra Tester Unit Only
A095	Printer Paper
C024	Duraclamp Cable CTU Long Cable Assy
C025	Duraprobe Cable CTU Long Cable Assy
C031	DuraProbe Extra Contact Surface Replacement (Waffle) Tips
C033	Optic Lamp Kit
C034	Ultra Lighted Probe Extender Kit
C035	Universal Battery Charger
C040	Ampere Clamp
C058	Infrared Temperature Sensor
C062	Ultra Industrial Clamps
C068	Ultra SK Cable
C069	DuraProbe Replacement (Pointed) Tips
C089	Ultra SD Memory Card
C090	Ultra 9.6V Rechargeable Battery
C091	Ultra 12V/100 mA Battery Charger for C090
C092	Ultra Standard Clamps
C093	Ultra Standard Probes
C095	Ultra Memory Card Reader
CA087	IR Printer

GenStart / 6-12V Conductance Tester Pricing	
CTS-655P	GenStart Battery Conductance Tester
SCP-100	Secure Power 6/12 Battery Conductance Tester

Product Number	Description
Celltron Legacy Tester Accessories	
C031	DuraProbe Extra Contact Surface Replacement (Waffle) Tips
C040	Digital Amp Clamp/Meter
C041	Celltron Lighted Probe Extender Kit (w/DuraProbes)
C049	IR Receiver
C051	Celltron Essential 9.6V Rechargeable Battery
C057	Celltron Essential Kit Hard case
C058	Infrared Temperature Sensor
C069	DuraProbe Replacement Tips
C075	Dura Probe Extenders (Celltron Advanced & Micro Celltron)
C087	DuraProbes (Celltron Essential)
C088	DuraClamp Cable Assembly (Celltron Essential)
C091	Celltron Essential 12V/100 mA Battery Charger for C051
C097	Replacement Fuses
CA087	IR Printer

Celluard WIRED BMS	
CGBC-300-WD	CELLGUARD™ wired battery monitoring control module, 120 volts AC, manages 6 strings maximum, 300 cells on one string maximum, 360 cells on a module maximum (Includes Celltraq S/W)
CGBC-300-WD-48V	CELLGUARD™ wired battery monitoring control module, 48 volts DC, manages 6 strings maximum, 300 cells on one string maximum, 360 cells on a module maximum (Includes Celltraq S/W)
CGS3-01V-WD	CELLGUARD™ wired battery monitoring battery sensor module for Ni-Cad
CGS3-02V-WD	CELLGUARD™ wired battery monitoring battery sensor module for 2V batteries
CGS3-06V-WD	CELLGUARD™ wired battery monitoring battery sensor module for 6V batteries
CGS3-12V-WD	CELLGUARD™ wired battery monitoring battery sensor module for 12V batteries
CGTC3-600-WD	CELLGUARD™ wired battery monitoring string sensor module with ambient temperature sensor, 1000A maximum, includes current transducer
CGS3-AMM-WD	Sensor module address modifier
CGS3-100-02V	Gen 3 Single 100 Series Sensor 2V
CGS3-100-06V-12V	Gen 3 Single 100 Series Sensor 6-12V
429-000003	Term Assy Ring CU 250-187 4-TAB M6
429-000004	Term Assy Ring CU 250-187 4-TAB M8
429-000005	Term Assy Ring CU 250-187 4-TAB M10
130-000492	Short Sensor Cable Dimensions: Strap, 14" to Positive Terminal, 11" to Negative Terminal
130-000721	Long Sensor Cable Dimensions: Strap, 28" to Positive Terminal, 18" to Negative Terminal
NOTE: Sensor Price includes (1) sensor, (1) wire harness (2) 4-tabbed terminals	

Product Number	Description
Cellguard Gen3 BMS (without Strap Resistance) typical of Telco Apps	
CGS3-02V M6	Gen 3 Sensor (2V) M6
CGS3-02V M8	Gen 3 Sensor (2V) M8
CGS3-02V M10	Gen 3 Sensor (2V) M10
CGS3-12V M6	Gen 3 Sensor (12V) M6
CGS3-12V M8	Gen 3 Sensor (12V) M8
CGS3-12V M10	Gen 3 Sensor (12V) M10
NOTE: Price includes (1) sensor, (1) wire harness (2) 2-tabbed terminals	

Cellguard Gen3 Ancillary	
CGBC-300	Gen 3 BCU: Base Coordinator Unit (Includes Celltraq S/W)
CGBC-350	GEN3- BCU: Base Coordinator Unit with WebServer Modbus TCP/IP (Includes Celltraq S/W)
CGBC-MOXA DNP3	Moxa, MGate-5109 (Includes Celltraq S/W)
C103	120VAC Wall-wart Power Adapter
C105	POE Splitter, 48V TO 12V
CGBC-DC 60	DC-DC Converter (42V-65V)
CGBC-DC-1000	DC-DC Converter, Input 120V-1000V
CGVTC2-60 LCT	CG G2 VOLT/TEMP/CURRENT 18-72V LCT Split Core Transducer 750 MCM Cables or Larger
CGVTC2-300 LCT	CG G2 VOLT/TEMP/CURRENT 100-300V LCT Split Core Transducer 750 MCM Cables or Larger
CGVTC2-600 LCT	CG G2 VOLT/TEMP/CURRENT 300-600V LCT Split Core Transducer 750 MCM Cables or Larger
CGVTC2-60	CG G2 VOLT/TEMP/CURRENT 18-72V Solid Core Transducer 500 MCM Cables or Smaller
CGVTC2-300	CG G2 VOLT/TEMP/CURRENT 100-300V Solid Core Transducer 500 MCM Cables or Smaller
CGVTC2-600	CG G2 VOLT/TEMP/CURRENT 300-600V Solid Core Transducer 500 MCM Cables or Smaller
CGVTC2-EXTENDER	CGVTC2 VOLTAGE EXTENDER
CG-DCGF	DC Ground Fault Detector

Cellgard Gen3 ELS & Ancillary	
CG-ELS-11-Cable	Electrolyte Level Sensor (11" cable)
CG-ELS-22-Cable	Electrolyte Level Sensor (22" cable)
CG-ELS-HUB-84-Cable	ELS Hub (w/AC Power Adapter)
CG-ELS-Install-Kit	*CG-ELS Installation Kit (Recommended 1 per Installation)
CGVTC2-60 POWER	CG G2 Voltage/Temperature/Current 18-72V - No Transducer - Power Only
CGVTC2-300 POWER	CG G2 Voltage/Temperature/Current 100-300V - No Transducer - Power Only
CGVTC2-600 POWER	CG G2 Voltage/Temperature/Current 300-600V - No Transducer - Power Only

Product Number	Description
Cellgard Gen2 BMS & Ancillary	
CGDS-02V	Dual Sensor 2 Volts, Gen 2
CGDS-04V	Dual Sensor 4 Volts, Gen 2
CGDS-06V	Dual Sensor 6 Volts, Gen 2
CGDS-08V	Dual Sensor 8 Volts, Gen 2
CGDS-12V	Dual Sensor 12 Volts, Gen 2
CGDS-16V	Dual Sensor 16 Volts, Gen 2
CGBC-250	Base Coordinator (BCU), Gen 2
CGBC-250 PS	Base Coordinator (BCU), Gen 2 (w/Power Supply)
CGBC-250 ANTENNA	CGBC, G2 Ceramic Antenna
CGBC-250 EXTENDER	CGBC, Voltage Extender
CGVTC2-60	VTC for 20-72 Volt strings
CGVTC2-60 LCT	VTC for 20-72 Volt strings LCT (Split Core)
CGVTC2-300	VTC for 90-300 Volt strings
CGVTC2-300 LCT	VTC for 90-300 Volt strings LCT (Split Core)
CGVTC2-600	VTC for 300-600 Volt strings
CGVTC2-600 LCT	VTC for 300-600 Volt strings LCT (Split Core)
CGVTC2-EXTENDER	CGVTC2 Voltage Extender
CGSS-02V	Single Sensor 2 Volts, Gen 2
CGSS-12V	Single Sensor 12 Volts, Gen 2
CGDH-02V	Dual Hybrid Sensor 2 Volts, Gen 2
CGDH-12V	Dual Hybrid Sensor 12 Volts, Gen 2
CGBC-DC 60	Base Coordinator DC/DC Converter (48V only)
CGBC-Modbus 4W	4W Modbus Adaptor
CGBC-MOXA 4W-2W	Moxa: 4 Wire to 2 Wire RS485, TCC-120
CGBC-MOXA 1	Moxa 1: Modbus TCP, 1 Port
CGBC-MOXA DNP3	Moxa, MGate-5109
CG001	VTC Ferrite Choke Kit
CG002	Sensor Ferrite Choke
CG003	VTC Power Inductor

[Request a Quote](#)

Product Number	Description
Celltraq Software	
Celltraq Enterprise (for Customer-Hosted Server)	
CTQ-LIC1	Level 1 Celltraq Enterprise Software license (up to 5 users)
CTQ-LIC2	Level 2 Celltraq Enterprise Software license (up to 15 users)
CTQ-LIC3	Level 3 Celltraq Enterprise Software license (up to 25 users)
CTQ-LIC4	Level 4 Celltraq Enterprise Software license (up to 50 users)
CTQ-LIC5	Level 5 Celltraq Enterprise Software license (up to 100 users)
CTQ-LIC6	Level 6 Celltraq Enterprise Software license (up to 250 users)
CTQ-LIC7	Level 7 Celltraq Enterprise Software license (up to 500 users)
CTQ-LIC8	Level 8 Celltraq Enterprise Software license (up to 750 users)
CTQ-LIC9	Level 9 Celltraq Enterprise Software license (up to 1000 users)
CTQ-LIC10	Level 10 Celltraq Enterprise Software license (> 1000 users)
Celltraq.net (for Franklin Grid Solutions-Hosted Server)	
CTQ-USER	Single User Celltraq.net (resident on Franklin Electric Grid Solutions server)